



# Professional Two-Speed 14.4 Volt, 1700mAh Cordless Grease Gun



**The Best Just Got Better!**

# Make quick work of any lubrication job with the 14.4 volt PowerLuber



Lincoln's new, heavy-duty 14.4 Volt PowerLuber gives you the power to lubricate just about anything, anytime, anywhere.

- Two-speed switch for high-pressure or high-volume delivery
- Cycle indicator pin to monitor grease output
- "Smart" charging system delivers reliable power

All the features you need, including comfortable grip and balanced design; hook for shoulder strap; built-in hose and coupler holder; and a slim, compact carrying case.

## Model 1442-E

### The Best Just Got Better!


For years, Lincoln's PowerLuber has been the favorite of technicians, mechanics, maintenance crews, farmers and others for almost every lubrication and preventative maintenance task imaginable, from the automotive, trucking and fleet industries to everyday applications in agriculture, construction and industry.

Now, we've made the best even better. PowerLuber's versatile two-speed design gives it the capability of two powerful tools in one. At the touch of a button, it can deliver high volumes of lubricant (240 grams per minute) at medium pressure or a concentrated stream at high pressure (482 bar working pressure). We've added a built-in stroke indicator to make it easy to measure total output.

Even with all that power, the long-lasting, high amperage 14.4 volt/1700mAh battery lets you work longer between recharges. When you do need to recharge, our high-tech "Smart" Charger does it in less than one hour. The "Smart" Charger even recognizes battery condition when not in use, and keeps your battery ready to go.

The 14.4 V PowerLuber's balanced design and padded grip make this tool comfortable and easy to use.

Packed in a heavy-duty compact case molded from impact- and stain-resistant plastic, this package comes complete with the 14.4 V PowerLuber and battery, a 230 volt one-hour "Smart" Charger (model 1410-E), and a 760 mm flex hose with spring guard (model 1230).



1 760 mm High Pressure Hose with Spring Guard and Coupler

2 Powerful 14.4 Volt High-Torque Motor  
• Working Output Pressure 482 bar  
• Grease Output 240 gr/min (at 69 bar back pressure)

3 High Capacity 14.4 Volt NiCd Battery (1700mAh)


4 1-Hour "Smart" Charger

5 Slotted Powerhead Accepts Shoulder Strap (optional)


6 Includes combination Air Bleeder / Filler Valve

7 Machined and Hardened Piston

8 Plated Steel Barrel with Exclusive Flip-Over Follower



# LINCOLN



- 

Multi-speed output selector – control the powerful two-speed transmission with just a push
- 

Stroke cycle indicator pin – lets you monitor total output by touch
- 

Motor overload protection – reset breaker protects motor from overload
- 

Snap-lock easy loading battery – provides long lasting power to get the job done
- 

Built-in hose and coupler holder – keeps hose and grease coupler secure when not in use
- 

One hour "Smart" charger – recognizes battery condition when not in use - keeps battery ready to go

9 Accessible Check Valve

[www.powerluber.com](http://www.powerluber.com)

# Get the most from your 14.4 volt PowerLuber with quality Lincoln accessories



## Battery Charger Model 1410-E

"Smart" Charger recharges batteries in just one hour, and keeps them at full charge, ready when you need them.

## Shoulder Strap Model 1414

Shoulder strap enables hands-free movement from job to job.



## 14,4 Volt/1700mAh Battery, Model 1401

Have a second 14.4 volt battery charged and ready to go so you can keep working without delays.



## Model 1442-E includes: Grease Gun, Charger, Battery and Carrying Case



## Battery Charger Model 1415A

DC Field Charger, fits 12/24 V cigarette lighter socket



Lincoln GmbH  
Heinrich-Hertz-Str. 2-8  
D-69190 Walldorf · Germany  
Phone + 49.6227.33.0  
Fax + 49.6227.33.259

lincoln@lincolnindustrial.de  
www.lincolnindustrial.de  
© Copyright 2009  
Printed in Germany  
Form W-141-En-0609

DIN EN ISO 9001  
durch DQS  
Reg.-Nr. 799

DIN EN ISO 14001  
durch GUT